READY. SET. GO!









GO! Quilted Leaves and Logs Wall Hanging Finished Size 40" x 40"

Fabrics provided by Robert Kaufman Fabrics



GO!® Dies Used, Number of Shapes to Cut & **Fabric Requirements**

Fabric Color	Shape	GO! Dies Used	Number of Shapes to Cut F	abric Required
*Assorted Fall Colors	sible web to	o the wrong side of asterisked fabrics fol GO! Rustling Leaves #1- Sweetgum and Poplar (Large) (55389)	Howing manufacturer's instructions before cutting appliation Cut 3—4½"W x 3½"H rectangles. Lay rectangle on 3½"W x 4"H Sweetgum leaf and Cut 3—Sweetgum leaves.	qué shapes. Fat eighths or scraps to cut a total of 20 leaves
*Assorted Fall Colors	E	GO! Rustling Leaves #1- Sweetgum and Poplar (Large) (55389)	Cut 2—4½"W x 4 1/8"H rectangles. Lay rectangle on 4 1/16"W x 3 11/16"H Poplar leaf and Cut 2—Poplar leaves.	Yardage included above
*Assorted Fall Colors		GO! Rustling Leaves #2- Maple and Oak (Large)(55390)	Cut 2—4 3/16"W x 4 3/16"H squares. Lay squares on 4 1/16"W x 3½"H Maple leaf and Cut 2—Maple leaves.	Yardage included above
*Assorted Fall Colors	*	GO! Rustling Leaves #2- Maple and Oak (Large)(55390)	Cut 3—5"W x 3 7/8"H rectangles. Lay rectangles on $3\frac{1}{4}$ " W x $5\frac{1}{6}$ " H Oak leaf and Cut 3—Oak leaves.	Yardage included above
*Assorted Fall Colors	*	GO! Rustling Leaves #3- Sweetgum and Poplar (Small) (55391)	Cut 2—3 5/8"W x 3"H rectangles. Lay rectangles on 3 3/16"W x 2 7/16"H Sweetgum leaf and Cut 2—Sweetgum leaves.	included above
*Assorted Fall Colors	E	GO! Rustling Leaves #3- Sweetgum and Poplar (Small) (55391)	Cut 3—3 5/8"W x 3½"H rectangles. Lay rectangles on 3 3/16"W x 2 15/16"H Poplar leaf and Cut 3—Poplar leaves.	Yardage included above
*Assorted Fall Colors		GO! Rustling Leaves #4- Maple and Oak (Small)(55392)	Cut 3—3 5/8"W x 3½"H rectangles. Lay rectangles on 3 3/16"W x 2 15/16"H Maple leaf and Cut 3—Maple leaves.	Yardage included above
*Assorted Fall Colors	*	GO! Rustling Leaves #4- Maple and Oak (Small)(55392)	Cut 2—3 1/8"W x 4 5/8"H rectangles. Lay rectangles on 2%"W x 41/6"H Oak leaf and Cut 2—Oak leaves.	Yardage included above
Dark Red		GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 1—2" x width of fabric (WOF) strip. Fanfold the strip into 2" widths on the 1½" square on die to cut 4—squares. (1½"W x 1½"H)	Fat eighth





Orange	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 4—4"W x 3½"H rectangle. Lay rectangles on 2½"W and 3½"W rectangles to cut 4—2½" rectangles and 4—3½" rectangles.	3/8 Yard
Orange	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 1—7" x WOF strip. Fanfold the strip into 2" widths on the 6½"W rectangle to cut 10—rectangles. (Trim each to 1½" W x 6" H)	Yardage included above
Orange	GO! Log Cabin-12" Finished by Leslie Main (55349)	From remaining fabric, fanfold the strip into 3½" widths on the 11½"W and 12½"W rectangles to cut 4—11½" rectangles and 9—12½" rectangles.	Yardage included above
Gold	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 4—5"W x 2"H rectangles. Lay rectangles on $4\frac{1}{2}$ "W rectangle to cut 4— $4\frac{1}{2}$ " rectangles.	1/4 Yard
Gold	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 4—6"W x 2"H rectangles. Lay rectangles on 5½"W rectangle to cut 4—5½" rectangles.	Yardage included above
Green	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 4—7"W x 2"H rectangles. Lay rectangles on 6½"W rectangle to cut 4—6½" rectangles.	⅓ Yard
Green	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 4—8"W x 2"H rectangles. Lay rectangles on 7½"W rectangle to cut 4—7½" rectangles.	Yardage included above
Medium Brown	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 4—9"W x 2"H rectangles. Lay rectangles on 8½"W rectangle to cut 4—8½" rectangles.	5/8 Yard
Medium Brown	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 4—10"W x 2"H rectangles. Lay rectangles on 9½"W rectangle to cut 4—9½" rectangles.	Yardage included above
Medium Brown	GO! Strip Cutter-2½" (2" Finished) (55017 or 55014)	Cut 5—2½" x WOF strips for binding.	Yardage included above
Dark Brown	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 4—11"W x 2"H rectangles. Lay rectangles on 10½"W rectangle to cut 4—10½" rectangles.	5/8 Yard
Dark Brown	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 4—12"W x 2"H rectangles. Lay rectangles on 11½"W rectangle to cut 4—11½" rectangles.	Yardage included above
Dark Brown	GO! Strip Cutter-2½" (2" Finished) (55017 or 55014)	Cut 4—2½" x WOF strips. Sub cut 2—36½" strips. Sub cut 2—40½" strips.	Yardage included above
White	GO! Square-6½" (6" Finished) (55000)	Cut 4—7" x WOF strips. Fanfold the strips into 7" widths. Cut 20—6½" (6" Finished) squares, Trimmed to 6" squares after machine embroidery.	1½ Yards
White	GO! Log Cabin-12" Finished by Leslie Main (55349)	Cut 1—21" x WOF strip. Fanfold the strip into 4—6½" widths. Cut 4—1½" squares. Cut 4—2½" rectangles. Cut 4—3½" rectangles. Cut 4—4½" rectangles. Cut 4—5½" rectangles. Cut 4—6½" rectangles. Cut 4—6½" rectangles. Cut 4—7½" rectangles. Cut 4—8½" rectangles. Cut 4—9½" rectangles. Cut 4—9½" rectangles. Cut 4—9½" rectangles. Cut 4—10½" rectangles.	Yardage included above





Additional Fabrics Needed:


- Backing—46" x 46"
- Batting—46" x 46"
- Fusible Web—½ Yard


Additional Products Needed:

- GO! Rustling Leaves #1 Embroidery by V-Stitch Designs (VQ-RL1)
- GO! Rustling Leaves #2 Embroidery by V-Stitch Designs (VQ-RL2)
- GO! Rustling Leaves #3 Embroidery by V-Stitch Designs (VQ-RL3)
- GO! Rustling Leaves #4 Embroidery by V-Stitch Designs (VQ-RL4)

Sewing Directions:

- 1. Lay out pieces to form one Log Cabin Block as shown.
- 2. Pin and sew one white $1\frac{1}{2}$ " square (1) to one dark red $1\frac{1}{2}$ " square (2) to form the center unit. Press seam toward dark red square.
- 3. Pin and sew one white 1½" x 2½" Rectangle (3) to the top on the center unit. Press seam toward added white rectangle.
- 4. Pin and sew one orange 1½" x 2½" Rectangle (4) to the right of the block unit. Press seam toward added orange rectangle.
- 5. Pin and sew one orange 1½" x 3½" Rectangle (5) to the bottom of the block unit. Press seam toward added orange rectangle.
- 6. Continue adding rectangular pieces by number following the block diagram, pressing toward the added pieces, making a 121/2" x 121/2" Log Cabin Block. Make four blocks.









7. Following the instructions provided with the GO! Rustling Leaves Embroidery (VQ-RL1, VQ-RL2, VQ-RL3 and VQ-RL4) by V-Stitch Designs, machine appliqué each of the twenty rustling leaves blocks. Each single leaf is machine embroidered on one 61/2" white square. Use the following block images as a reference.

Rustling Leaves #1:











Rustling Leaves #2:











Rustling Leaves #3:











Rustling Leaves #4:
















- 8. Trim each embroidered block to 6" square.
- 9. Lay out four 6" square embroidered leaf blocks, two 1½" x 6" rectangular strips, and one 1½" x 12½" rectangular strip to form one block, as shown. You may choose to use the quilt diagram for exact placement of the leaves or choose four random leaf blocks.
- 10. Pin and sew block. Make five blocks.
- 11. Lay out blocks according to wall hanging diagram.
- 12. Pin and sew blocks in horizontal rows. Press seams in alternate directions for each row.
- 13. Pin and sew rows together to complete wall hanging center. Press seams toward added rows.
- 14. Add dark brown 361/2" side border strips. Press seams toward border.
- 15. Add dark brown 40½" top and bottom border strips. Press seams toward border.

Quilting & Finishing:

- 1. Layer batting between wall hanging top and backing.
- 2. Pin or baste layers together.
- 3. Quilt as desired.
- 4. Add medium brown binding, mitering corners.















GO! Log Cabin Love Wall Hanging Finished Size 48" x 36"

Fabrics provided by Robert Kaufman Fabrics



GO!® Dies Used, Number of Shapes to Cut & Fabric Requirements

NOTE: How to Die Cut Log Cabin Blocks:

- Cut strips 231/2" across the width of fabric. Fan fold at 7". Place on blade and cut.
- Cut five block sets from the width of fabric.
- 1 1/3 yards of 42" wide fabric cuts 5 block sets.

Fabric Color	Shape	GO! Dies Used	Number of Shapes to Cut	Fabric Required
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 2—squares (1½"W x 1½"H)	1½ Yards
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 4—rectangles (1½"W x 2½"H)	Yardage included above
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 6—rectangles (1½"W x 3½"H)	Yardage included above
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 10—rectangles (1½"W x 4½"H)	Yardage included above
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 2—rectangles (1½"W x 5½"H)	Yardage included above
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 4—rectangles (1½"W x 6½"H)	Yardage included above





Fabric Color	Shape	GO! Dies Used	Number of Shapes to Cut	Fabric Required
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 8—rectangles (1½"W x 7½"H)	Yardage included above
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 10—rectangles (1½"W x 8½"H)	Yardage included above
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 2—rectangles (1½"W x 9½"H)	Yardage included above
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 4—rectangles (1½"W x 10½"H)	Yardage included above
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 8—rectangles (1½"W x 11½"H)	Yardage included above
Bright Pink		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 6—rectangles (1½"W x 12½"H)	Yardage included above
Bright Pink		GO! Strip Cutter-2½" (2" Finished) (55017 or 55014)	Cut 5—2½" x width of fabric (WOF) strips for binding	Yardage included above
Red	•	GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 10—squares (1½"W x 1½"H)	1 Yard
Red		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 14—rectangles (1½"W x 2½"H)	Yardage included above
Red		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 4—rectangles (1½"W x 3½"H)	Yardage included above
Red		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 8—rectangles (1½"W x 4½"H)	Yardage included above
Red		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 8—rectangles (1½"W x 5½"H)	Yardage included above





Fabric	Shape	GO! Dies Used	Number of Shapes to	Fabric
Color			Cut	Required
Red		GO! Log Cabin-12" Finished	Cut 14—rectangles	Yardage
		Square by Leslie Main (55349)	$(1\frac{1}{2}$ "W x $6\frac{1}{2}$ "H)	included
				above
Red		GO! Log Cabin-12" Finished	Cut 2—rectangles	Yardage
		Square by Leslie Main (55349)	(1½"W x 7½"H)	included
		, ,	,	above
Red		GO! Log Cabin-12" Finished	Cut 8—rectangles	Yardage
		Square by Leslie Main (55349)	(1½"W x 8½"H)	included
		, ,	,	above
Red		GO! Log Cabin-12" Finished	Cut 8—rectangles	Yardage
		Square by Leslie Main (55349)	(1½"W x 9½"H)	included
		equal by zeems main (ees is)	(172 11 71 072 11)	above
		0011 01: 4015: 11	0.144	
Red		GO! Log Cabin-12" Finished	Cut 14—rectangles	Yardage
		Square by Leslie Main (55349)	$(1\frac{1}{2}\text{"W} \times 10\frac{1}{2}\text{"H})$	included
				above
Red		GO! Log Cabin-12" Finished	Cut 2—rectangles	Yardage
		Square by Leslie Main (55349)	(1½"W x 11½"H)	included
		, ,	,	above
Red		GO! Log Cabin-12" Finished	Cut 6—rectangles	Yardage
		Square by Leslie Main (55349)	(1½"W x 12½"H)	included
		(/	(- ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	above
White		GO! Log Cabin-12" Finished	Cut 12—squares	1 Yard
		Square by Leslie Main (55349)	(1½"W x 1½"H)	
White		GO! Log Cabin-12" Finished	Cut 6—rectangles	Yardage
		Square by Leslie Main (55349)	0	included
			(1,2 11 11 2,2 11)	above
White		GO! Log Cabin-12" Finished	Cut 14—rectangles	Yardage
		Square by Leslie Main (55349)	(1½"W x 3½"H)	included
		2 4 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	(./2 // 0/2 !!)	above
White		GO! Log Cabin-12" Finished	Cut 6—rectangles	Yardage
VVIIICO		Square by Leslie Main (55349)	(1½"W x 4½"H)	included
		oquate by Loone Main (00040)	(1/2 VV A T/2 II)	above
				anove





Fabric Color	Shape	GO! Dies Used	Number of Shapes to Cut	Fabric Required
White		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 14—rectangles (1½"W x 5½"H)	Yardage included above
White		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 6—rectangles (1½"W x 6½"H)	Yardage included above
White		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 14—rectangles (1½"W x 7½"H)	Yardage included above
White		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 6—rectangles (1½"W x 8½"H)	Yardage included above
White		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 14—rectangles (1½"W x 9½"H)	Yardage included above
White		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 6—rectangles (1½"W x 10½"H)	Yardage included above
White		GO! Log Cabin-12" Finished Square by Leslie Main (55349)	Cut 14—rectangles (1½"W x 11½"H)	Yardage included above

Additional Fabrics Needed:

- Backing—54" x 42"Batting—54" x 42"







Sewing Directions:

Note: When constructing each block, always press toward the added piece.

- 1. Lay out pieces to form one Log Cabin Block as shown (Block 1).
- 2. Pin and sew one white 1½" square (1) to one red $1\frac{1}{2}$ " square (2) to form the center unit.
- 3. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (3) to the bottom of the center unit.
- 4. Pin and sew one white 1½" x 2½" rectangle (4) to the left of the block unit.
- 5. Pin and sew one white $1\frac{1}{2}$ " x $3\frac{1}{2}$ " rectangle (5) to the top of the block unit.
- 6. Continue adding rectangular pieces by number following the block diagram, making a 12½" x 121/2" Log Cabin Block. Make **two** blocks.
- 7. Lay out pieces to form one Log Cabin Block as shown (Block 2).
- 8. Pin and sew one red 1½" square (1) to one white $1\frac{1}{2}$ " square (2) to form the center unit.
- 9. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (3) to the bottom of the center unit.
- 10. Pin and sew one white $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (4) to the right of the block unit.
- 11. Pin and sew one white 11/2" x 31/2" rectangle (5) to the top of the block unit.
- 12. Continue adding rectangular pieces by number following the block diagram, making a 121/2" x 121/2" Log Cabin Block. Make **two** blocks.











- 13. Lay out pieces to form one Log Cabin Block as shown (Block 3).
- 14. Pin and sew one white 1½" square (1) to one white 1½" square (2) to form the center unit.
- 15. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (3) to the right of the center unit.
- 16. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (4) to the top of the block unit.
- 17. Pin and sew one white 1½" x 3½" rectangle (5) to the left of the block unit.
- 18. Continue adding rectangular pieces by number following the block diagram, making a 12½" x 12½" Log Cabin Block. Make one block.
- 19. Lay out pieces to form one Log Cabin Block as shown (Block 4).
- 20. Pin and sew one red 1½" square (1) to one pink $1\frac{1}{2}$ " square (2) to form the center unit.
- 21. Pin and sew one pink 1½" x 2½" rectangle (3) to the left of the center unit.
- 22. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " (4) to the top of the block unit.
- 23. Pin and sew one red $1\frac{1}{2}$ " x $3\frac{1}{2}$ " rectangle (5) to the right of the block unit.
- 24. Continue adding rectangular pieces by number following the block diagram, making a 12½" x 12½" Log Cabin Block. Make **one** block.



Block 3





Block 4





- 25. Lay out pieces to form one Log Cabin Block as shown (Block 5).
- 26. Pin and sew one red $1\frac{1}{2}$ " square (1) to one pink 1½" square (2) to form the center unit.
- 27. Pin and sew one pink $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (3) to the right of the center unit.
- 28. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (4) to the top of the block unit.
- 29. Pin and sew one red $1\frac{1}{2}$ " x $3\frac{1}{2}$ " rectangle (5) to the left of the block unit.
- 30. Continue adding rectangular pieces by number following the block diagram, making a 12½" x 12½" Log Cabin Block. Make one block.
- 31. Layout pieces to form one Log Cabin Block as shown (Block 6).
- 32. Pin and sew one white 11/2" square (1) to one white 1½" square (2) to form the center unit.
- 33. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (3) to the left of the center unit.
- 34. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (4) to the top of the block unit.
- 35. Pin and sew one white 11/2" x 31/2" rectangle (5) to the right of the block unit.
- 36. Continue adding rectangular pieces by number following the block diagram, making a 121/2" x 12½" Log Cabin Block. Make **one** block.











- 37. Lay out pieces to form one Log Cabin Block as shown (Block 7).
- 38. Pin and sew one white $1\frac{1}{2}$ " square (1) to one red 1½" square (2) to form the center unit.
- 39. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (3) to the left of the center unit.
- 40. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (4) to the bottom of the block unit.
- 41. Pin and sew one white $1\frac{1}{2}$ " x $3\frac{1}{2}$ " rectangle (5) to the right of the block unit.
- 42. Continue adding rectangular pieces by number following the block diagram, making a 12½" x 12½" Log Cabin Block. Make one block.
- 43. Lay out pieces to form one Log Cabin Block as shown (Block 8).
- 44. Pin and sew one red 1½" square (1) to one white $1\frac{1}{2}$ " square (2) to form the center unit.
- 45. Pin and sew one pink 1½" x 2½" rectangle (3) to the right of the center unit.
- 46. Pin and sew one white $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (4) to the bottom of the block unit.
- 47. Pin and sew one white 1½" x 3½" rectangle (5) to the left of the block unit.
- 48. Continue adding rectangular pieces by number following the block diagram, making a 12½" x 12½" Log Cabin Block. Make **one** block.








Block 8






- 49. Lay out pieces to form one Log Cabin Block as shown (Block 9).
- 50. Pin and sew one red $1\frac{1}{2}$ " square (1) to one white 1½" square (2) to form the center unit.
- 51. Pin and sew one pink $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (3) to the left of the center unit.
- 52. Pin and sew one white $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (4) to the bottom of the block unit.
- 53. Pin and sew one white 1½" x 3½" rectangle (5) to the right of the block unit.
- 54. Continue adding rectangular pieces by number following the block diagram, making a 12½" x 12½" Log Cabin Block. Make one block.
- 55. Lay out pieces to form one Log Cabin Block as shown (Block 10).
- 56. Pin and sew one white 1½" square (1) to one red $1\frac{1}{2}$ " square (2) to form the center unit.
- 57. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (3) to the right of the center unit.
- 58. Pin and sew one red $1\frac{1}{2}$ " x $2\frac{1}{2}$ " rectangle (4) to the bottom of the block unit.
- 59. Pin and sew one white 11/2" x 31/2" rectangle (5) to the left of the block unit.
- 60. Continue adding rectangular pieces by number following the block diagram, making a 12½" x 12½" Log Cabin Block. Make **one** block.



Block 9




Block 10






- 61. Lay out blocks according to wall hanging diagram.
- 62. Pin and sew blocks in horizontal rows. Press seams in alternate directions for each row.
- 63. Pin and sew rows together to complete wall hanging center. Press seams toward added rows.



Quilting & Finishing:

- 1. Layer batting between wall hanging top and backing.
- 2. Pin or baste layers together.
- Quilt as desired.
- 4. Add bright pink binding, mitering corners.







GO! Scrappy Star Log Cabin Quilt

finished size 56" x 56"

Designed by Leslie Main



Fabric provided by Hoffman Fabrics

GO!® DIES USED

- GO! Log Cabin-12" Finished (55349)
- GO! Strip Cutter-21/4" (13/4" Finished) (55053)
- GO! Strip Cutter-6½" (6" Finished) (55086)

FABRIC REQUIREMENTS

- ☐ Fabric $1-2\frac{1}{2}$ yards total (lights) 16 pieces, 22½" x 7½" (lengthwise cuts)
- Fabric 2—2½ yards total (darks) 16 pieces, 22½" x 7½" (lengthwise cuts)
- Fabric 3—1¾ yards (for outer border)
- Fabric 4—¾ yard (for binding)
- Backing-65" x 65"
- Batting—65" x 65"

CUTTING DIRECTIONS

Fabric 1:

• Cut 16—(from various light fabrics): 22½" x 7½" strips on the lengthwise grain

Fabric 2:

• Cut 16—(from various dark fabrics): 22½" x 7½" strips on the lengthwise grain

Fabric 3:

• Cut 6—6½" strips across the width of fabric (WOF) by using GO! Strip Cutter-6½"

Fabric 4:

• Cut 6—21/4" strips across the WOF by using GO! Strip Cutter-21/4"

SEWING DIRECTIONS

TIP: Using mailing label stickers, label each die. (Placing the label inside away from the cutting blades.) Starting with the smallest rectangle as number one, increasing in size till you get to #12. The label number is the finished length of the log cabin log.

PIECING TIP: Press seams toward each added piece.

PIECING TIP: The unit just added should be at the top, when feeding the next unit through the machine.

- 1. Lay out pieces from one block following block diagram on following page.
- 2. Pin and sew piece 1L to the top of 1D (center block).
- 3. With the 1L square facing up, pin and sew piece 2L to the right side of 1L/1D center unit.
- 4. Pin and sew piece 2D to the bottom side of center unit.
- 5. Pin and sew piece 3D to the left side of center unit. The unit should measure $3\frac{1}{2}$ " x $3\frac{1}{2}$ ".
- 6. Continue adding pieces by letter following block diagram, till you reach the desired block size. For the sample quilt, make 16, $11\frac{1}{2}$ " x $11\frac{1}{2}$ " unfinished blocks.
- 7. Lay out blocks according to photo.
- 8. Pin and sew into rows together to complete quilt center. Press seams toward bottom of quilt.
- 9. Add Fabric #3, 6½" strips for border. Press seams toward border.

QUILTING AND FINISHING








2 of 2

- Layer batting between quilt top and backing.
- Pin or baste layers together. 2.
- Model was machine quilted with free-motion feathers in the light, and diagonal lines in the dark.
- 4. Add binding, mitering corners.



D

C

G


K





GO! Log Cabin Quilt

finished size 51" x 51" finished block size 10" x 10"



Fabric provided by Moda Fabrics

GO!® DIES USED

- GO! Strip Cutter-134" (55083)
- GO! Strip Cutter-21/2" (55014 or 55017)
- GO! Strip Cutter-3½" (55032)

FABRIC REQUIREMENTS

- Fabric 1—1/4 yard
- Fabric 2—1/4 yard
- Fabric 3—3/3 yard for blocks and inner border
- Fabric 4—½ yard
- Fabric 5—1 yard (includes binding)
- Fabric 6—1/4 yard
- Fabric 7—⅓ yard
- Fabric 8—⅓ yard
- Fabric 9-% yard for blocks and outer border
- Backing—57" x 57"
- Batting—57" x 57"

CUTTING DIRECTIONS

TIP: Label rectangle sizes with letters.

Fabric 1:

• Cut 2—3" strips across the width of fabric (WOF)

Sub cut into 16—3" squares for block centers

Fabric 2:

- Cut 1—41/4" strip across the WOF Sub cut into 16—13/4" x 41/4" rectangles for piece B by using Cutter-134"
- Cut 1—3" strip across the WOF Sub cut into 16—1¾" x 3" rectangles for piece A by using Strip Cutter-13/4"



- Cut 1—5½" strip across the WOF Sub cut into $16-1^{3}4'' \times 5^{1}2''$ rectangles for piece D by using Strip Cutter-134"
- Cut 1—41/4" strip across the WOF Sub cut 16—1¾" x 4¼" rectangles for piece C by using Strip Cutter-13/4"
- Cut 5—2½" strips across the WOF for inner border

Fabric 4:

- Cut 1—6¾" strip across the WOF Sub cut 16—13/4" x 63/4" rectangles for piece F by using Strip Cutter-13/4"
- Cut 1—5½" strip across the WOF Sub cut 16—13/4" x 51/2" rectangles for piece E by using Strip Cutter-13/4"

Fabric 5:

- Cut 1—8" strip across the WOF Sub cut 16—1¾" x 8" rectangles for piece H by using Strip Cutter-13/4"
- Cut 1—6¾" strip across the WOF Sub cut 16—13/4" x 63/4" rectangles for piece G by using Strip Cutter-13/4"
- Cut 6—2½" strips across the WOF for binding









CUTTING DIRECTIONS Cont.

Fabric 6:

• Cut 1—8" strip across the WOF Sub cut 16—1¾" x 8" rectangles for piece I by using Strip Cutter-13/4"

Fabric 7:

• Cut 1—91/4" strip across the WOF Sub cut 16—1¾" x 9¼" rectangles for piece J by using Strip Cutter-134"

Fabric 8:

• Cut 1—91/4" strip across the WOF Sub cut $16-1^{3}/4$ " x $9^{1}/4$ " rectangles for piece K by using Strip Cutter-134"

Fabric 9:

- Cut 1—10½" strip across the WOF Sub cut $16-1\frac{3}{4}$ " x $10\frac{1}{2}$ " rectangles for piece L by using Strip Cutter-13/4"
- Cut 5—3½" strips across the WOF for outer border

SEWING DIRECTIONS

TIP: Press seams toward each added piece.

- Lay out pieces for one block following block diagram.
- Pin and sew piece A to the top of center square.
- 3. Pin and sew piece B to the left side of center square unit.
- 4. Pin and sew piece C to the bottom of center square unit.
- 5. Continue adding pieces by letter following block diagram. Make 16 blocks.
- 6. Lay out blocks according to photo.
- 7. Pin and sew into rows. Press seams of each row in opposite directions.
- Pin and sew rows together to complete quilt center. Press seams toward bottom of quilt.
- 9. Add Fabric #3, 2½" strips for inner border. Press seams toward inner border.
- 10. Add Fabric #9, 31/2" strips for outer border. Press seams toward inner border.

QUILTING & FINISHING

- Layer batting between quilt top and backing.
- 2. Pin or baste layers together.
- Model was machine quilted with an all-over design. 3.
- 4. Add binding, mitering corners.

C

G

K