

READY. SET. GO!®

QUICK & EASY PATTERNS

USING THE ACCUQUILT GO!

GO! Big® and GO!®
Fabric Cutter
Friendly




GO! X Marks the Spot Baby Quilt
featuring Riley Blake Designs Fabrics

GO! X Marks the Spot Baby Quilt


Finished Size 40½" x 40½"

*Fabrics provided by
Riley Blake Designs*



GO!® Dies Used, Number of Shapes to Cut & Fabric Requirements

Fabric Color	Shape	GO! Dies Used	Number of Shapes to Cut	Fabric Required
Yellow		GO! Strip Cutter-5" (4½" Finished) (55023)	Cut 2—5" x width of fabric (WOF) strips. Sub cut into 4—5" x 14" rectangles. Place remaining 5" strip along the 90° angled guideline and sub cut into 2—5" x 5" squares.	1/3 yard
Light Green		GO! Strip Cutter-5" (4½" Finished) (55023)	Cut 2—5" x WOF strips. Sub cut into 2—5" x 14" and 4—5" x 9½" rectangles.	1/3 yard


Fabric Color	Shape	GO! Dies Used	Number of Shapes to Cut	Fabric Required
Green		GO! Strip Cutter-5" (4½" Finished) (55023)	Cut 2—5" x WOF strips. Sub cut into 2—5" x 23" rectangles. Place remaining 5" strip along the 90° angled guideline and sub cut into 4—5" x 5" rectangles.	1 Yard
Green		GO! Strip Cutter-2½" (2" Finished) (55017 or 55014)	Cut 5—2½" x WOF strips for binding.	Yardage included above
Blue		GO! Strip Cutter-5" (4½" Finished) (55023)	Cut 3—5" x WOF strips. Sub cut into 2—5" x 32" and 2—5" x 18½" rectangles.	1/2 yard
White		GO! Strip Cutter-5" (4½" Finished) (55023)	Cut 3—5" x WOF strips. Place cut 5" strips along the 90° angled guideline and sub cut into 17—5" x 5" squares.	1/2 yard

Additional Fabrics Needed:

- Backing Fabric—47" x 47"
- Batting—47" x 47"

Sewing Directions:

1. Lay out, pin and sew one white 5" square and two blue 5" x 18½" strips, as shown. Press seams toward the blue strips. Make one blue center strip set.
2. Lay out, pin and sew one yellow 5" square, two white 5" squares, and two yellow 5" x 14" strips, as shown. Press seams toward the yellow strips. Make two yellow strip sets.
3. Lay out, pin and sew one light green 5" x 14" strip, two white 5" squares, and two light green 5" x 9½" strips, as shown. Press seams toward the light green strips. Make two light green strip sets.



4. Lay out, pin and sew one green 5" x 23" strip, two white 5" squares, and two light green 5" squares, as shown. Press seams toward the green strips. Make two green strip sets.




5. Lay out, pin and sew one blue 5" x 32" strip and two white 5" squares, as shown. Press seams toward the blue strip. Make two blue strip sets.



6. Lay out the nine row units, using the baby quilt image as a guide.
7. Pin and sew nine row units together. Press seams toward the added rows.

Quilting and Finishing:

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add green binding, mitering corners.



GO! Tumbler Baby Quilt

finished size 38" x 40"



GO!® DIES USED

- GO! Tumbler-3½" (55015)
- GO! Strip Cutter-2½" (55014 or 55017)

FABRIC REQUIREMENTS

- Tumbler fabrics—scraps, fat quarters or ⅛ yard cuts (2 yards total)
- Border—¾ yard
- Binding—¾ yard
- Backing—1¼ yard
- Batting—44" x 46"

CUTTING DIRECTIONS

Tumbler Fabrics:

- Cut 180—tumblers

Border:

- Cut 4—2½" strips across the width of fabric (WOF)

Binding:

- Cut 5—2½" strips across the WOF

SEWING DIRECTIONS

1. Cut 12 tumbler shapes of various fabrics in half vertically.
2. Layout 12 rows of 14 tumbler shapes. Alternate the wide and narrow ends of the tumblers so they lay in a straight line. Add one half tumbler shape to each end of each row.
3. Pin and sew two tumbler shapes right sides together aligning the notched corners. The top and bottom sewn edges should be straight and even. Adjust your seam allowance as needed.
4. Pin and sew additional tumbler shapes to complete Row 1.
5. Press seams in one direction. Label Row 1.
6. Pin, sew and label 11 more rows.
7. Press seams in alternating directions for each row.
8. Pin and sew rows together.
9. Press seams open or toward bottom of quilt.
10. Allowing for ¼" seam allowances, mark a line along the sides of the quilt using quilt photo as a guide. Trim on marked line.
11. Add 2½" border strips to complete quilt. Press seams toward border.

QUILTING & FINISHING

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Model was machine quilted with an all-over design.
4. Add binding, mitering corners.


How to use your GO! Qube with this Pattern

Use this chart to find which GO! Qube dies are compatible with the dies listed on the pattern



Quilt Shape

GO! Qube™ Item #'s (listed first) or GO! Die Item #'s (sold separately)


By Number	6" Finished Block	8" Finished Block	9" Finished Block	12" Finished Block
	GO! Square-3½" (3" Finished) 55775 or 55006	GO! Square-4½" (4" Finished) 55776, 55060 or 55018	GO! Square-5" (4½" Finished) 55777 or 55010	GO! Square-6½" (6" Finished) 55778* or 55000*
	GO! Square-2" (1½" Finished) 55775 or 55022	GO! Square-2½" (2" Finished) 55776, 55059 or 55018	GO! Square-2¾" (2¼" Finished) 55777 or 55395	GO! Square-3½" (3" Finished) 55778 or 55006
	GO! Half Square Triangle- 3" Finished Square 55775 or 55009	GO! Half Square Triangle- 4" Finished Square 55776 or 55031	GO! Half Square Triangle- 4½" Finished Square 55777 or 55397	GO! Half Square Triangle- 6" Finished Square 55778* or 55001*
	GO! Quarter Square Triangle- 3" Finished Square 55775 or 55396	GO! Quarter Square Triangle- 4" Finished Square 55776, 55316 or 55047	GO! Quarter Square Triangle- 4½" Finished Square 55777 or 55398	GO! Quarter Square Triangle- 6" Finished Square 55778*, 55002 or 55456
	GO! Half Square Triangle- 1½" Finished Square 55775 or 55319	GO! Half Square Triangle- 2" Finished Square 55776, 55063 or 55018	GO! Half Square Triangle- 2¼" Finished Square 55777 or 55147	GO! Half Square Triangle- 3" Finished Square 55778, 55009 or 55456
	GO! Square on Point-2⅝" (2⅛" Finished) 55775 or 55394	GO! Square on Point-3¼" (2¾" Finished) 55776 or 55317	GO! Square on Point-3⅛" (3⅜" Finished) 55777 or 55106	GO! Square on Point-4¾" (4¼" Finished) 55778 or 55019
	GO! Parallelogram 45°-2¼" x 2⅜" Sides (1½" x 2⅛" Finished) 55775 or 55402	GO! Parallelogram 45°-2¾" x 3½" Sides (2⅛" x 2⅜" Finished) 55776 or 55318	GO! Parallelogram 45°-2⅝" x 3⅞" Sides (2¼" x 3⅜" Finished) 55777 or 55148	GO! Parallelogram 45°-3⅛" x 4⅝" Sides (3" x 4¼" Finished) 55778* or 55004
	GO! Rectangle- 2" x 3½" (1½" x 3" Finished) 55775 or 55158	GO! Rectangle- 2½" x 4½" (2" x 4" Finished) 55776 or 55159	GO! Rectangle- 2¾" x 5" (2¼" x 4½" Finished) 55777 or 55107	GO! Rectangle- 3½" x 6½" (3" x 6" Finished) 55778* or 55005

*not compatible with GO! Baby

GO! Boxed In Quilt

finished size 51" x 74"

finished block size 7" x 7"



GO!® DIES USED:

- Squares-6½" (55000)
- Strip Cutter-4½" (55054)
- Strip Cutter-2½" (55017)
- Strip Cutter-1" (55052)

FABRIC REQUIREMENTS

- Fabric 1—2¼ yards
- Fabric 2—1 yard
- Fabric 3—1⅓ yards
- Fabric 4—1½ yards
- Backing Fabric—3¼ yards
- Batting—57" x 80" rectangle

CUTTING DIRECTIONS

Fabric 1:

- Cut 54—6½" squares

Fabric 2:

- Cut 7—4½" strips across width of fabric (WOF) for outer border

Fabric 3:

- Cut 7—2½" strips across WOF for binding
- Cut 24—1" strips across WOF for sashing and inner border
Sub cut 9 strips into 45, 1" x 7½" rectangles

Fabric 4:

- Cut 44—1" strips across WOF for block frames
Sub cut 22 strips into 108, 1" x 7½" rectangles; sub cut 22 strips into 108, 1" x 6½" rectangles

TIP: Lay each strip set on GO! Squares-6½" (55000) perpendicular to blades to cut into 6½" lengths.

SEWING DIRECTIONS

1. Pin and sew one Fabric #4, 1" x 6½" rectangle to each side of one Fabric #1, 6½" square. Press seams toward rectangles.
2. Pin and sew one Fabric #4, 1" x 7½" rectangle to top and bottom of combined square. Press seams toward rectangles. Make 54 blocks.
3. Layout blocks for one row, according to diagram, with Fabric #3, 1" x 7½" vertical sashing rectangles.
4. Pin and sew blocks and vertical sashing together. Press seams toward sashing. Repeat for nine rows.
5. Pin and sew Fabric #3, horizontal sashing between rows according to diagram, piecing together as needed. Press seams toward sashing.

SEWING DIRECTIONS Cont.

6. Add Fabric #3, inner border strips to sides of quilt center. Press seams toward inner border.
7. Add Fabric #3, inner border strips to top and bottom of quilt center. Press seams toward inner border.
8. Add Fabric #2, outer border strips to sides of quilt center. Press seams toward inner border.
9. Add Fabric #2, outer border strips to top and bottom of quilt center. Press seams toward inner border.


QUILTING AND FINISHING

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Machine quilt with an all-over design.
4. Add binding, mitering corners.

OPTIONS

- Use your favorite AccuQuilt GO! appliqués on squares
- Feature embroideries on squares
- Also good for using a favorite printed novelty fabric

3½" finished Log Cabin block made
with 1" logs and 1" cut center



4" finished Log Cabin block made
with 1" logs and 1½" cut center




table topper

Page 1 of 2

GO! table TOPPER

finished size 24" x 24"



FABRIC REQUIREMENTS

- Fabric 1— $\frac{1}{4}$ yard or fat quarter for border squares and appliqué
- Fabric 2— $\frac{1}{4}$ yard or fat quarter for border squares and appliqué
- Fabric 3— $\frac{1}{3}$ yard for center and border squares
- Fabric 4— $\frac{1}{3}$ yard for center and border squares
- Fabric 5— $\frac{5}{8}$ yard for border squares, inner border and binding
- Fusible web— $\frac{1}{8}$ yard
- Backing fabric— $\frac{7}{8}$ yard
- Batting—30" square

CUTTING DIRECTIONS

Fabric 1:

- Cut 4— $4\frac{1}{2}$ " squares
- Cut 4—4" hearts with fusible web backing
- Cut 1—2" circle with fusible web backing

Fabric 2:

- Cut 4— $4\frac{1}{2}$ " squares
- Cut 1—3" circle with fusible web backing

GO! Dies:

- Square- $6\frac{1}{2}$ " Quilt Block A (55000)
- Square- $3\frac{1}{2}$ " Quilt Block B (55006)
- Triangle- $4\frac{7}{8}$ " Quilt Block D (55002)
- Half Square-3" Finished Triangle Quilt Block E (55009)
- Square- $4\frac{1}{2}$ " (Die packaged with fabric cutter)
- Strip Cutter- $2\frac{1}{2}$ " (55017)
- Heart-2", 3", 4" (55029)
- Circle-2", 3", 5" (55012)

Fabric 3:

- Cut 4— $4\frac{7}{8}$ " triangles
- Cut 4— $4\frac{1}{2}$ " squares
- Cut 4— $3\frac{1}{2}$ " squares

Fabric 4:


- Cut 1— $6\frac{1}{2}$ " square
- Cut 4— $4\frac{1}{2}$ " squares
- Cut 8—3" finished half square triangles

Fabric 5:


- Cut 3— $2\frac{1}{2}$ " strips across the width of the fabric (WOF) for binding
- Cut 2— $2\frac{1}{2}$ " strips across the WOF for inner border
- Cut 4— $4\frac{1}{2}$ " squares

SEWING DIRECTIONS

1. Lay out one Fabric #3 $4\frac{7}{8}$ " triangle and two Fabric #4 3" finished half square triangles for each flying geese unit. Pin and sew triangles together using a $\frac{1}{4}$ " seam allowance (Fig. A).
2. Press seams toward 3" finished half square triangles completing a flying geese unit. Make four.
3. Pin and sew one flying geese unit to top and bottom of Fabric #4 $6\frac{1}{2}$ " square (Fig. B).
4. Press seams toward $6\frac{1}{2}$ " square.
5. Pin and sew one Fabric #3 $3\frac{1}{2}$ " square to each side of the remaining two flying geese units (Fig. C).
6. Press toward $3\frac{1}{2}$ " squares.



(Fig. A)



(Fig. B)




(Fig. C)


table topper

Page 2 of 2

7. Layout star block. Pin and sew rows together. (Fig. D)
8. Press seams toward center of star block.
9. Lightly press horizontal and vertical centers of star block.
10. Remove paper backing from all appliqué shapes.
11. Position four, Fabric #1, 4" hearts on star block using photo and pressed centers as a guide. Points of hearts should meet in center of star block. Fuse in place following manufacturer's directions. (Fig. E)
12. Machine appliqué around heart shapes using a narrow zig zag stitch and matching thread.
13. Position Fabric #2, 3" circle on center of heart flower. Fuse in place. Machine appliqué with matching thread.
14. Position Fabric #1, 2" circle on center of larger circle. Fuse in place. Machine appliqué with matching thread.
15. Measure vertical center of star block. Cut two, Fabric #5, 2½" inner border strips to this measurement.
16. Pin and sew trimmed inner borders to sides of star block matching center of inner border to center of block edge.
17. Press seams toward inner borders.
18. Measure horizontal center of star block (with side inner borders). Cut two, Fabric #5, 2½" inner border strips to this measurement.
19. Pin and sew trimmed inner border to top and bottom of star block matching center of inner border to center of block edge.
20. Press seams toward inner borders.
21. Layout 4½" border squares according to diagram. (Fig. F)
Pin and sew together.
22. Press seams in one direction (or toward darker fabrics).
23. Make four border square units.
24. Pin and sew one border square unit to each side of table topper center. See photo for orientation.
25. Press seams toward inner border.
26. Pin and sew one Fabric #5, 4½" square to each end of two border square units. (Fig. G)



(Fig. D)



(Fig. E)



(Fig. F)




(Fig. G)

27. Pin and sew one border square unit to top and bottom of table topper center. See photo on page 1 for orientation.
28. Press seams toward inner border.
29. Remove any markings and press table topper top.
30. Layer batting between top and backing.
31. Pin or baste layers together.
32. Quilt as desired. Model was machine quilted outlining flower appliqué and with small loops in large circle with matching thread. Remainder of table topper was quilted with an overall loopy design.
33. Remove any markings and press quilt if desired.
34. Add binding, mitering corners.

OPTIONS

- Combine several appliquéd star blocks for a larger size quilt.
- Use three appliquéd star blocks for a table runner.
- Use one appliquéd star block for a pillow.
- Add borders to make quilt larger.




Heart design ©2010 by AccuQuilt.

Heart design ©2010 by AccuQuilt. Reproduction of die shapes for personal use is permissible; commercial use of die shapes is strictly prohibited.

GO! Chevrons Quilt

finished size 48" x 59"



Fabric provided by Robert Kaufman Fabrics.

GO!® DIES USED

- GO! Rectangle-2½" x 4½" (2" x 4" Finished) (55159)
- GO! Strip Cutter-2½" (2" Finished) (55017 or 55014)

FABRIC REQUIREMENTS

- Fabric 1—1½ yards
- Fabric 2—1½ yards
- Fabric 3—2 yards
- Fabric 4—1½ yards
- Batting—54" x 65"
- Backing—3½ yards

CUTTING DIRECTIONS

Fabric 1:

- Cut 94—2½" x 4½" rectangles

Fabric 2:

- Cut 85—2½" x 4½" rectangles

Fabric 3:

- Cut 94—2½" x 4½" rectangles
- Cut 6—2½" strips (Set aside for binding)

Fabric 4:

- Cut 85—2½" x 4½" rectangles

SEWING DIRECTIONS

1. Layer one Fabric #1, 2½" x 4½" rectangle on top of one Fabric #3, 2½" x 4½" rectangle.
2. Sew together and press towards Fabric #3. Block should measure 2½" x 4½".
3. Make a total of 54, Unit #1 blocks.
4. Layer one Fabric #1, 2½" x 4½" rectangle on top of one Fabric #2, 2½" x 4½" rectangle.
5. Sew together and press towards Fabric #2. Block should measure 4½" x 4½".
6. Make a total of 40, Unit #2 blocks.
7. Layer one Fabric #2, 2½" x 4½" rectangle on top of one Fabric #4, 2½" x 4½" rectangle.
8. Sew together and press towards Fabric #4. Block should measure 4½" x 4½".
9. Make a total of 45, Unit #3 blocks.
10. Layer one Fabric #4, 2½" x 4½" rectangle on top of one Fabric #3, 2½" x 4½" rectangle.
11. Sew together and press towards Fabric #3. Block should measure 4½" x 4½".
12. Make a total of 40, Unit #4 blocks.
13. Lay out blocks in rows as shown on page 2. Quilt top should be nine rows wide and 11 rows long, alternating rows between Unit #1, Unit #2, Unit #3 and Unit #4 as needed.
14. Pin and sew blocks into diagonal rows pressing seams in opposite directions.
15. Pin and sew rows together, pressing seams in the same direction.
16. Trim off the jagged edges to square the quilt. Quilting and Finishing



Unit #1



Unit #2



Unit #3




Unit #4

QUILTING AND FINISHING

1. Layer quilt top with batting and backing.
2. Pin or baste layers together.
3. Model was custom machine quilted.
4. Add binding, mitering the corners.

Placement Diagram



funky flowers

GO! funky QUILT

finished size 38" x 38"



FABRIC REQUIREMENTS

- White Fabric—1½ yards
- Black Fabric—1¼ yards (includes binding)
- Appliqué Fabrics—5 or more fat quarters
- Fusible Web—1½ yards
- Backing—1¼ yards
- Batting—44" x 44"

CUTTING DIRECTIONS

White Fabric:

- Cut 13—6½" squares
- Cut 4—3½" strips across the width of fabric (WOF)

Black Fabric:

- Cut 12—6½" squares
- Cut 4—2½" strips across the WOF for binding
- Cut 4—1½" strips across the WOF for inner border

Appliqué Fabrics:

- Cut a total of 29 large flower shapes, about 11 small flowers and 29 flower centers with fusible web backing



**funky flowers
55042**

Use 5" x 10" mat (55110)

GO! Dies also used:

- Strip Cutter-3½" (55032)
- Strip Cutter-2½" (55017)
- Strip Cutter-1½" (55024)
- Squares-6½" (55000)

SEWING DIRECTIONS

1. Layout black and white 6½" squares in a checkerboard design.
2. Pin and sew squares into rows. Press seams toward black squares.
3. Pin and sew rows together to form quilt center. Press seams toward bottom of quilt.
4. Add 1½" black inner border, adding the sides first, then top and bottom. Press seams toward inner border.
5. Add 3½" white outer border, adding the sides first, then top and bottom. Press seams toward inner border.
6. Remove paper backings from appliqué shapes.
7. Position groupings of five large flowers on quilt using diagram for inspiration. Add small flowers and flower centers. Fuse according to manufacturer's directions.
8. Position and fuse one flower and flower center on corners of inner border.
9. Machine appliqué edges of appliqué shapes.

QUILTING & FINISHING

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Machine quilt with an all-over design.
4. Add binding, mitering corners.