

GO!

BOLT™

PATTERN & IDEA BOOK

For Your GO!® Square-5" (4½" Finished) Die



 accuquilt®

GO! GET STARTED... BOLT™

All the patterns in this book are designed to use the GO! Square-5" (4½" Finished) Die (55716) included in your GO! Bolt™ Electric Fabric Cutter Starter Set. Here are a few helpful tips before you start creating.



QUILTING BASICS

- Always read through all pattern directions before you begin to cut or sew
- Select the best 100% cotton fabrics that you can afford
- If you choose to prewash, do so with all the fabrics, washing the light and dark fabrics separately
- Use an accurate ¼" seam allowance unless otherwise instructed
- Follow pressing instructions as outlined in patterns
- For more information, consult a comprehensive quilting book

USING YOUR GO! BOLT™ ELECTRIC FABRIC CUTTER

1. Place.



2. Press.



3. Done!





Patents Pending

©2025 AccuQuilt

FABRIC DIE-CUTTING TIPS

1. For the most accurate cuts, be sure you're cutting with the lengthwise grain (straight of grain) as the fabric goes through the cutter.
2. Use the GO! Fabric Reference Chart below as a guide to pre-cut width of fabric strips.
3. Layer or fanfold strips on the die up to four layers at a time for 100% cotton quilting fabric.
4. Position fabric on die just over shape you want to cut, following the angle of the shape. **Two Tone™ Foam** makes it easy to align fabric just over the edge of the shape so you can save fabric.



GO! SQUARE-5" (4½" FINISHED) DIE FABRIC REFERENCE CHART

Pre-Cut Strip Size	Fan Folded Size	Cuts per Pre-Cut Strip	Min. Shapes Yielded per 40 Yard of Fabric
5½"	5½"	7"	42

CUTTING WITH TWO DIES AT A TIME

- For the ultimate in fabric cutting speed, the GO! Bolt electric cutter enables you to cut two dies, 5" wide, at a time.
- Lay fabric and cutting mats on top of dies, place dies side by side, and move through the cutter.



WANT MORE AccuQuilt? Visit our site at accuquilt.com for our full product line, project ideas and selection of patterns.

City Blocks Throw Quilt

PQ13004



Finished Size 54" x 63"

GO!® DIES USED, NUMBER OF SHAPES TO CUT & FABRIC REQUIREMENTS


Fabric Color	GO! Dies Used	Number of Shapes to Cut	Fabric Required
Gray	GO! Strip Cutter-2" (1½" Finished) 55025)	9 Strips-sub cut into 3-9½" strips and 8-5" strips	1¼ yard
Gray	GO! Strip Cutter-2½" (2" Finished) (55017 or 55014)	7-2½" Strips for binding	Yardage included above
White	GO! Square-5" (4½" Finished) (55716)	16	1½ yard
White	GO! Strip Cutter-2" (1½" Finished) (55025)	18 strips – sub cut into 64-9½" strips and 16-5" strips	Yardage included above
Light Orange	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard
Orange	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard
Light Yellow	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard
Light Green	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard
Green	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard
Light Blue	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard
Blue	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard
Light Pink	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard
Pink	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard

ADDITIONAL FABRICS NEEDED

- Backing—62" x 71"
- Batting—62" x 71"

SEWING DIRECTIONS

1. Sew one light orange and one orange 5" square together to make 8 rectangles. Press towards dark fabric.
2. Stitch (2) rectangles together to make an orange and light orange 4-patch units. Make a total of (3) 4-patch units. Keep the remaining rectangle units separate.
3. Follow the above sewing instructions for all five colors, creating a total of (15) 4-patch units and (10) rectangle units.
4. Sew (9) white and 9 gray lengthwise strips together.
5. Sew (9) white strips to the gray/white strips to create (9) white/gray/white strips. Press towards the gray strip.
6. Sub cut the (9) white/gray/white strips into 32-9½" strips and 8-5" strips to create vertical sashing.
7. Refer to the illustration and sew a 9½" sashing strip to the right side of the light orange/orange rectangle.
8. Refer to the illustration and sew a 9½" sashing strip to the right side of the light orange/orange 4-patches.
9. Refer to the illustration and sew the orange row together.



10. Follow the above sewing instructions for the remaining colors and sew rows together.

11. To create (4) horizontal sashing, sew pieces together in this order - a 5" sashing piece, white 5½" square, 9½" sashing, white 5½" square, 9½" sashing, white 5½" square, 9½" sashing, 5" square, and a 5" sashing piece.



12. Refer to the illustration on the right and sew the (4) sashing rows between the (5) rows of the quilt.




QUILTING & FINISHING

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add blue binding, mitering corners.

Stacked Throw Quilt

PQ13005



Finished Size 51" x 69"

GO!® DIES USED, NUMBER OF SHAPES TO CUT & FABRIC REQUIREMENTS



Fabric Color	GO! Dies Used	Number of Shapes to Cut	Fabric Required
White	GO! Square-5" (4½" Finished) (55716)	69	1⅔ yards
Purple	GO! Square-5" (4½" Finished) (55716)	5	¼ yard
Yellow	GO! Square-5" (4½" Finished) (55716)	13	⅓ yard
Blue	GO! Square-5" (4½" Finished) (55716)	26	⅔ yard
Green	GO! Square-5" (4½" Finished) (55716)	19	½ yard
Pink	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard
Black	GO! Strip Cutter-3½" (3" Finished) (55032)	6	1¾ yards

ADDITIONAL FABRICS NEEDED


- Backing—59" x 77"
- Batting—59" x 77"

SEWING DIRECTIONS

- Pin and sew one (1) White 5" square and one (1) Purple 5" square. Press the seam toward the Purple square.
- Pin and sew two (2) Purple 5" squares together. Press the seam to one side.
- Pin and sew the two units together, nesting the seams in the center. Press the seam toward the purple squares.
- Repeat steps 1 - 3 to create the following color combinations:



- Arrange blocks according to the diagram below, rotating blocks as needed to complete the design. Press row seams in opposite directions as indicated by the arrows.
- Sew border strips together, end to end, to make one long 3" wide strip.
- Measure your quilt height at 3 points on the quilt, approx. 6" from the Left and Right and the Center.
- Cut two sections of your border fabric with this measurement and attach to the sides of the quilt.
- Now, measure the quilt width at 3 points on the quilt, approx. 12" from the Top and Bottom and the Center.
- Cut two sections out of your remaining border fabric and attach to the top and bottom of the quilt.




QUILTING & FINISHING

- Layer batting between quilt top and backing.
- Pin or baste layers together.
- Join the 2½" strips together, end to end with a 45° seam. Attach binding with your preferred method, mitering the corners.
- Label your quilt & enjoy!

Pillars Wall Hanging

PQ13006



Finished Size 49½" x 49½"

GO!® DIES USED, NUMBER OF SHAPES TO CUT & FABRIC REQUIREMENTS


Fabric Color	GO! Dies Used	Number of Shapes to Cut	Fabric Required
Light Pink	GO! Square-5" (4½" Finished) (55716)	16	2 yards
Light Pink	GO! Strip Cutter-5" (4½" Finished) (55023)	9-5" x WOF strips	Yardage included above
Medium Pink	GO! Square-5" (4½" Finished) (55716)	7	¼ yard
Dark Pink	GO! Square-5" (4½" Finished) (55716)	7	¾ yard
Dark Pink	GO! Strip Cutter-2½" (2" Finished) (55017 or 55014)	6-2½" strips for binding	¾ yard
Purple	GO! Square-5" (4½" Finished) (55716)	7	¼ yard
Teal	GO! Square-5" (4½" Finished) (55716)	8	⅓ yard

ADDITIONAL FABRICS NEEDED

- Backing—58" x 58"
- Batting—58" x 58"


SEWING DIRECTIONS

1. Arrange the 5" squares for column A using the diagram. Make three column A units. Press seams down towards the bottom of the quilt.
2. Arrange the 5" squares for column B using the diagram. Make two column B units. Press seams down towards the bottom of the quilt.




©2025 AccuQuilt

3. Measure your columns, they should measure 41" long. Trim six of the 5" x WOF strips to 5" x 41" - make adjustments if needed. Sew the strips and columns together using the diagram. Press seams toward the strips.
4. Measure the width of your wall hanging, it should measure 50". Sew the remaining three 5" x WOF strips end-to-end. From this, cut two borders strips 5" x 50" - make adjustments if needed. Sew on the top and bottom borders. Press seams toward the borders.



QUILTING & FINISHING

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding (made from 6—2½" WOF strips), mitering corners.



Palette Pillow

PQ13007



Finished Size 22½" x 22½"

GO!® DIES USED, NUMBER OF SHAPES TO CUT & FABRIC REQUIREMENTS

Fabric Color	GO! Dies Used	Number of Shapes to Cut	Fabric Required
Gray	GO! Square-5" (4½" Finished) (55716)	6	½ yard
Gray	GO! Strip Cutter-2" (1½" Finished) (55025)	3-Strips – Sub cut into 3-23" strips	Yardage included above
Blue	GO! Square-5" (4½" Finished) (55716)	2	¼ yard
Green	GO! Square-5" (4½" Finished) (55716)	2	¼ yard
Yellow	GO! Square-5" (4½" Finished) (55716)	2	¼ yard
Red	GO! Square-5" (4½" Finished) (55716)	2	¼ yard
Teal	GO! Square-5" (4½" Finished) (55716)	2	¼ yard
Purple	GO! Square-5" (4½" Finished) (55716)	2	¼ yard
Orange	GO! Square-5" (4½" Finished) (55716)	2	¼ yard

ADDITIONAL FABRICS NEEDED

- Muslin—28" x 28"
- Batting—28" x 28"
- Pillow Back—23" x 23"
- Pillow Form—22½" x 22½"


SEWING DIRECTIONS

1. Sew the 4-color block rows together following the diagram to the right. Press the seams in opposite directions.



©2025 AccuQuilt

2. Sew the 3-2" sashing strips between the color block rows. Press seams towards the sashing strips.




QUILTING & FINISHING

1. Layer batting between pillow front and muslin. Pin or baste layers together.
2. Quilt as desired.
3. Trim quilted pillow front to 23" x 23"
4. Place pillow back fabric atop the pillow front, RST, with edges aligned.
5. Pin and sew the pieces together using a ¼" seam allowance. Leave a 10" opening at the bottom to turn pillow right side out.
6. Turn right side out. Insert pillow form. Hand stitch the opening closed.

ZIPPER BACK

1. Cut two pieces of fabric the width of the zipper and 3" long. These will be the zipper tabs. *(Trim the extra zipper material away from the zipper opening and the zipper stop.)*
2. Fold your zipper tabs in half RST and sandwich a zipper end. Sew a ½" seam away from the fold going slow over the zipper teeth. Repeat on the other side.
3. Press zipper tabs open so they are wrong sides together. Top stitch close to the edge.



4. Sew a 12" x 23" rectangle to the top and bottom of the zipper. Press the seams away from the zipper. Trim any extra zipper pull fabric away so that they are flush with backing. Top stitch close to the edge on both sides of the zipper.

GO! Argyle Bed Runner

PQ13008



Finished Size 12¾" x 64"

GO!® DIES USED, NUMBER OF SHAPES TO CUT & FABRIC REQUIREMENTS


Fabric Color	GO! Dies Used	Number of Shapes to Cut	Fabric Required
Gray	GO! Square-5" (4½" Finished) (55716)	24	⅔ yard
Blue	GO! Square-5" (4½" Finished) (55716)	12	⅓ yard
Light Green	GO! Square-5" (4½" Finished) (55716)	6	¼ yard
Dark Green	GO! Square-5" (4½" Finished) (55716)	6	¼ yard
Pink	GO! Square-5" (4½" Finished) (55716)	4	¼ yard

ADDITIONAL FABRICS NEEDED


- Backing—19" x 70"
- Batting—19" x 70"

SEWING DIRECTIONS


1. Layout all of the 5" squares, On Point, as shown below.
2. Sew the 5" squares together into Diagonal Rows. Press the seams as shown by the arrows.



3. Sew the Diagonal Rows together into the Table Runner Top. Press the seams open.



4. Trim the Table Runner Top around all 4 sides as shown; taking care to leave a ¼" overlaps along the edges.




QUILTING & FINISHING

1. Layer batting between the table runner top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding, mitering corners.


GO! QUBE®

MAKE EASY BLOCKS WITH GO! QUBE

AccuQuilt offers GO! Qube® Mix & Match Block sets in 4", 5", 6", 8", 9", 10", 12" and 16" finished block sizes that work with your GO! Bolt™ Electric Fabric Cutter.



Find your perfect block size with this side by side comparison.



AVAILABLE IN 8 SIZES



GO! Qube®
Mix & Match 4" Block
55229***



GO! Qube®
Mix & Match 5" Block
55567***



GO! Qube®
Mix & Match 6" Block
55775***



GO! Qube®
Mix & Match 8" Block
55776***



GO! Qube®
Mix & Match 9" Block
55777***




GO! Qube®
Mix & Match 10" Block
55797***




GO! Qube®
Mix & Match 12" Block
55778***




GO! Qube®
Mix & Match 16" Block
55650***




Broken Sash




Depression




Flying Triangles




Free Trade



Hourglass Star




Louisiana




Magic Pinwheel




Magic Triangles




Mosaic No. 13




Mosaic No. 15




Peace & Plenty




Port & Starboard



Ribbons



Sawtooth Star



Windmill



Find AccuQuilt® products at
retail stores or accuquilt.com

888.258.7913
accuquilt.com/gobolt

